

ZDST6CS



Installation Tools Required


Vehicle used for installation:*

Toyota Auris 2014 (E180)


Basic Sound System

**Some differences may occur between different car and year models.*


PH2 Screwdriver




5mm Drill




Plastic Pry Tool



Rivet Tool



6x Rivets (4.8mm)



PHOENIX GOLD

ZDST6CS Installation 1

Tools required:



1x PH2 Screwdriver




1x Plastic Pry Tool

1. Front door removal



2. Pull out the tweeter pod towards you



3. Remove the plastic screw cover



4. Unscrew the hidden screw



ZDST6CS Installation 2

Tools required:



1x PH2 Screwdriver



1x Plastic Pry Tool

5. Remove the handle cover



6. Unscrew the two screws



7. Close-up of the screw



8. Remove the window switch panel



ZDST6CS Installation 3

Tools required:



1x Plastic Pry Tool

9. Disconnect the connector




10. Remove the door panel (pull)



11. Lift the door panel up




12. Remove the door opener cables



ZDST6CS Installation 4


Tools required:



1x Drill 5mm




1x Rivet Tool



6x Rivets (4.8mm)

13. Drill out the OEM speaker



14. Install the Phoenix Gold woofer



15. Take out the OEM tweeter



16. Pull it up



ZDST6CS Installation 5

Tools required:

17. Tweeter removed



18. Install the Phoenix Gold tweeter



19. Reassemble the door in reverse



20. Installation is now complete



On Behalf of the Phoenix Gold team,
Thank you for choosing us!

Your installation is complete and we hope that your new upgraded system will bring you joy and happiness for many years to come when listening to your favorite music. As always, our goal is bringing you The Gold Standard in Sound.



www.phoenixgold-eu.com