

CTSSZ003.2 Suzuki Steering Wheel Control Interface



















Vehicle Application

Suzuki Swift 2017> Suzuki Ignis 2017>

Key Features

- Retains Steering Wheel Controls (if equipped)
 - Retains OEM Phone Buttons (if equipped)
- Retains OEM USB & Aux Inputs (if equipped)
- Retains OEM Reversing Camera (if equipped)
 - Provides Speed Pulse & Park Brake Feeds





ABOUT THIS PRODUCT

CTSSZ003.2

Analogue Steering Wheel Control Interface for select Suzuki vehicles. Retains steering wheel control functionality, OEM phone buttons, USB & Aux inputs and reversing camera (if vehicle is equipped).

WIRING COLOUR CODES

Yellow Permanent 12V Right Rear Speaker + Purple Purple/Black Right Rear Speaker -Black Ground Green Left Rear Speaker + Red Ianition 12V Speed Pulse Green/Black Left Rear Speaker -Pink Grev Right Front Speaker + Green Park Brake Grey/Black Right Front Speaker -White Left Front Speaker + White/Black Left Front Speaker -

PRIOR TO INSTALLATION

Read the manual prior to installation. Technical knowledge is necessary for installation. The place of installation must be free of moisture and away from heat sources. Please ensure that the correct tools are using during the installation to avoid damage to the vehicle or product. **Connects2 can not be held responsible for the installation of this product.**

TECHNICAL SUPPORT

Connects2 Ltd. want to provide a fast and suitable resolution to any problems encountered during installation of this product. To get in touch with our dedicated technical support team, please fill in a ticket at support.connects2.com and provide as much information as possible.

FOLLOW US ON SOCIAL MEDIA for all the latest updates



/CONNECTS2
Watch us on
YouTube



/CONNECTS2
Like us on facebook



CONNECTS2LTD Follow us on instagram







FITTING GUIDE

- 1. Remove and disconnect the original head unit.
- 2. Connect the 12 way molex connector of the head unit patch lead (supplied separately) to the interface.





3. Connect the opposite end of head unit patch lead to the head unit steering wheel control input on the back of the aftermarket head unit.

NB: This may be a 3.5mm jack plug or a wire input depending upon the head unit brand being fitted. Please see the head unit installation manual for further information on where to connect.

Important: This step must be completed before connecting power to the interface. Failure to so do may result in no steering wheel control function.



4. Connect the 14 way molex connector to the interface





5. Connect the male power/speaker ISO harness to the female power/speaker ISO harness from the aftermarket head unit. For aftermarket head units without an ISO connector, please refer to "Wiring Colour Codes" on Pa. 2.





FITTING GUIDE

6. If the vehicle has OEM USB and Aux inputs, or a reversing camera, these can be retained through the CTSSZ003.2 interface.

To retain Aux: Connect the 3.5mm jack from the interface to the back of the stereo To retain USB: Connect the male USB connector to the back of the stereo To retain Reversing Camera: Connect the small square white connector from the interface to the vehicle

7. Connect the female vehicle specific connector on the harness to the male vehicle connector from the vehicle. Test head unit for correct operation.

STEERING WHEEL CONTROL FUNCTIONALITY

Original Button	Function
+ Icon	Volume +
- Icon	Volume -
Right Arrow	Track +
Left Arrow	Track -
Mute Icon	Mute
Pick Up Icon	Pick Up
Hang Up Icon	Hang Up
Mode	Source
Speech Icon	Speech

