



...connecting to the aftermarket

CTSTY013.2

Toyota Steering Wheel Control Interface



Vehicle Application

Avensis (T25)	2003 - 2009	Landcruiser	1998>
Corolla (T27, E120)	2001 - 2011	Prado	2007>
RAV4	2001 - 2011	Matrix	2003>
Yaris (XP9)	2001 - 2011	Vios	2006>
4Runner	2002>	Rush	2006 - 2011
Avanza	2003>	Prius	2010>
Estima	2006>	Hilux	2004 - 2012
Previa	2006>	FJ Cruiser	2001 - 2007
Fortuner	2005 - 2011	Auris (E15J)	2003 - 2009
Innova	2006>	Lexus GX Series (470)	2003 - 2009

Key Features

- Retains Steering Wheel Controls (if equipped)
- Retains Factory Aux Input (if equipped)

www.connects2.com

Designed and
Engineered
in the UK. 

The information provided in this document is subject to change without notice due to manufacturer changes and/or improvements to the product/s.

ABOUT THIS PRODUCT

CTSTY013.2

Analogue Steering Wheel Control Interface for select Toyota vehicles with 20 pin connector and factory Fujitsu Ten/Matsushita stereo. Retains factory steering wheel controls and aux input (if vehicle is equipped).

WIRING COLOUR CODES

Purple	Right Rear Speaker +	Yellow	Permanent 12V
Purple/Black	Right Rear Speaker -	Black	Ground
Green	Left Rear Speaker +	Red	Ignition 12V
Green/Black	Left Rear Speaker -	Orange	Illumination
Grey	Right Front Speaker +		
Grey/Black	Right Front Speaker -		
White	Left Front Speaker +		
White/Black	Left Front Speaker -		

PRIOR TO INSTALLATION

*Read the manual prior to installation. Technical knowledge is necessary for installation. The place of installation must be free of moisture and away from heat sources. Please ensure that the correct tools are using during the installation to avoid damage to the vehicle or product. **Connects2 can not be held responsible for the installation of this product.***

TECHNICAL SUPPORT

Connects2 Ltd. want to provide a fast and suitable resolution to any problems encountered during installation of this product. To get in touch with our dedicated technical support team, please fill in a ticket at support.connects2.com and provide as much information as possible.

FOLLOW US ON SOCIAL MEDIA

for all the latest updates



[/CONNECTS2](https://www.youtube.com/channel/UC...)
Watch us on
YouTube



[/CONNECTS2](https://www.facebook.com/CONNECTS2)
Like us on
facebook



[CONNECTS2LTD](https://www.instagram.com/CONNECTS2LTD)
Follow us on
instagram



[@CONNECTS2](https://twitter.com/CONNECTS2)
Follow us on
twitter




[CONNECTS2LTD](https://www.linkedin.com/company/CONNECTS2LTD)
Follow us on
linkedin



[CONNECTS2BLOG.COM](https://www.connects2blog.com)
Follow our blog on
wordpress

FITTING GUIDE

1. Remove and disconnect the original head unit.
2. Connect the 12 way molex connector of the head unit patch lead (supplied separately) to the interface.



3. Connect the opposite end of head unit patch lead to the head unit steering wheel control input on the back of the aftermarket head unit.

NB: This may be a 3.5mm jack plug or a wire input depending upon the head unit brand being fitted. Please see the head unit installation manual for further information on where to connect.

Important: This step must be completed before connecting power to the interface. Failure to so do may result in no steering wheel control function.



4. Connect the 14 way molex connector to the interface




5. Connect the male power/speaker ISO harness to the female power/speaker ISO harness from the aftermarket head unit. For aftermarket head units without an ISO connector, please refer to "Wiring Colour Codes" on Pg. 2.



FITTING GUIDE

6. Connect the red and white male RCA connectors to the RCA inputs on the aftermarket head unit to retain the vehicle's factory aux input (if vehicle is equipped).
7. Connect the female vehicle specific connectors on the harness to the male vehicle connectors from the vehicle. Test head unit for correct operation.

STEERING WHEEL CONTROL FUNCTIONALITY



Original Button	Function
+ Icon	Volume +
- Icon	Volume -
Up Arrow	Track +
Down Arrow	Track -
MODE	Source